

## Sectioning commands with critical notes

This file provides examples of using sectioning command with `reledmac`. The section titles are in the line numbering, and have critical and side notes.

We use the `\reledxxx` commands, each of them in their own `\pstart... \pend` group.

Page breaks are manually added before chapter with `\beforeeledchapter`.



# Chapter 1

## 1 chapter

chapter

2 I use git to manage some packages. I would like to add a pre-commit hook,  
3 to check if I have forgotten For now, I have a minimal pre-commit, which tests  
4 only the blank spaces at ends of lines, but not the forgotten..

### 5 1.1 section

section

#### 6 1.1.1 subsection

subsection

#### 7 subsection

subsection

8 I use git to manage some packages. I would like to add a pre-commit hook,  
9 to check if I have forgotten For now, I have a minimal pre-commit, which tests  
10 only the blank spaces at ends of lines, but not the forgotten.

### 11 1.2 section

section

12 I use git to manage some packages. I would like to add a pre-commit hook,  
13 to check if I have forgotten For now, I have a minimal pre-commit, which tests  
14 only the blank spaces at ends of lines, but not the forgotten.

---

1 chapter ] chapitre  
6 subsection ] sous-section  
7 subsection ] sous-sous-section



# Chapter 2

15 **chapter** chapter

16 I use git to manage some packages. I would like to add a pre-commit hook,  
17 to check if I have forgotten For now, I have a minimal pre-commit, which tests  
18 only the blank spaces at ends of lines, but not the forgotten..

19 **2.1 section** section

20 **2.1.1 subsection** subsection

21 **subsubsection** subsubsection

22 I use git to manage some packages. I would like to add a pre-commit hook,  
23 to check if I have forgotten For now, I have a minimal pre-commit, which tests  
24 only the blank spaces at ends of lines, but not the forgotten.

25 **2.2 section** section

26 I use git to manage some packages. I would like to add a pre-commit hook,  
27 to check if I have forgotten For now, I have a minimal pre-commit, which tests  
28 only the blank spaces at ends of lines, but not the forgotten.

---

15 chapter ] chapitre  
20 subsection ] sous-section  
21 subsubsection ] sous-sous-section