

The Nimbus15 package

Michael Sharpe

January 8, 2016

Nimbus15 is derived from the Nimbus fonts, metric clones of Courier, Helvetica and Times, issued in 2015 by URW++ by way of Artifex, makers of Ghostscript. (The latest versions for 2015 appeared with an update to the gs distribution in October, 2015.) The novelty here is that there are now Greek and Cyrillic glyphs in all the Nimbus fonts. To summarize the changes from those supplied by Artifex and those in this distribution, aside from the trivial addition of cyrbreve (uniF6D4), low asterisk (uni204E) (zco only), visiblespace (uni2423) and dotlessj (uni0237) so in each typewritten font * is correctly rendered and the ot1 and ot2 encodings are complete in all cases:

- Courier clone:

NimbusMono-Regular->zco-Light
NimbusMono-Bold->zco-Bold
NimbusMono-Oblique->zco-LightOblique
NimbusMono-BoldOblique->zco-BoldOblique

A new weight, intermediate between Light and Bold, was created with names
zco-Regular, zco-Oblique

The glyphs in Light, Regular and Bold have stem widths 41em, 64em and 100em respectively. A few glyphs required modification prior to and following the thickening process. The Greek glyphs support only monotonic Greek typography. Several Greek glyphs were modified from the originals, most importantly alpha (less fish-like), nu (curved, not v-shaped) and Phi (less tall.) Thanks are due to Dimitrios Filippou for his important feedback on Greek typographic issues. Additionally, zco-Regular was modified to a narrow version, zcoN-Regular, starting with some FontForge transformations and finishing with manual adjustments to shorten serifs where necessary and make circular outlines narrower.

- Helvetica clone:

NimbusSanL*->zhv-*

The upright tonos accent in the originals was modified to a slanted form, along with the prebuilt letters with tonos and tonosdieresis accents. Only a few modifications were made to the spacing and kerning tables. The Greek glyphs support only monotonic Greek typography.

- Times clone:

NimbusRomNo9L*->ztm-*

The original fonts' Greek glyph coverage was relatively modest, supporting only monotonic Greek. This distribution adds glyphs to cover polytonic and some ancient forms. Three Cyrillic glyphs were changed substantially, and the spacing and kerning tables were modified considerably. (The Cyrillic

part covers all but eight glyphs in T2A encoding, but has serious gaps in T2B and T2C.) In addition, slanted versions were created for the benefit of those switching from other font families like Latin Modern, where both *italic* and *slanted* are available and may have different semantic connotations.

The glyphs missing from T2A are:

```
134 ("86) uni0498 CYRILLIC CAPITAL LETTER ZE WITH DESCENDER
138 ("8A) uni04A0 CYRILLIC CAPITAL LETTER BASHKIR KA
140 ("8C) uni04D4 CYRILLIC CAPITAL LIGATURE A IE
142 ("8E) uni04A4 CYRILLIC CAPITAL LIGATURE EN GHE
166 ("A6) uni0499 CYRILLIC SMALL LETTER ZE WITH DESCENDER
170 ("AA) uni04A1 CYRILLIC SMALL LETTER BASHKIR KA
172 ("AC) uni04D5 CYRILLIC SMALL LIGATURE A IE
174 ("AE) uni04A5 CYRILLIC SMALL LIGATURE EN GHE
```

This package is intended to be an add-on to a comprehensive Times-like text font package, such as newtxtext or tgtermes, adding the possibility of writing parts in Greek (monotonic, polytonic and ancient) and Cyrillic. (Note that the Courier and Helvetica clones support only monotonic Greek.) All L^AT_EX support files are provided in encodings T1, TS1, LGR, T2A, T2B, T2C, OT1 and OT2. The OT2 encoding and its usage is described in the last section of this document.

Another option for serifed Greek and Cyrillic in a font matching Times is the recently released Tempora package.

The Courier clone

All weights of zco have an advance width of 600em. When used at 12pt, this amounts to 10 characters per inch. While Courier and its clones don't seem very interesting as typewriter fonts because they appear to be too wide and too light (see however the narrower version NimbusMonoN below), they are essential to screenwriters who choose to make use of L^AT_EX. Unlike John Pate's screenplay package, screenplay-pkg (Alan Munn's reworked version) does not hard-code the courier package for use as its output font, but allows the use of whatever \ttdefault is defined to be when screenplay-pkg is loaded. So, to write a screenplay using 10cpi Courier, as the screenplay rules require, you could set it up with preamble

```
\documentclass[12pt]{article}
\usepackage{nimbusserif} %Times for roman text, if any
\usepackage{nimbusmono} %Courier at 10cpi, regular (medium) weight
\usepackage{screenplay-pkg}
```

The following three lines illustrate the three weights provided by zco.

zco-Light---the default weight of traditional Courier;
zco-Regular---the default Courier medium weight in this package;
zco-Bold---the default weight of traditional Bold Courier.

The next two lines show for comparison NimbusMonoN (the narrower version of zco-Regular) and cmtt10. NimbusMonoN (Narrow)---a new, narrower Courier. (Regular weight, upright shape only.) Computer Modern Typewriter (cmtt)---the traditional tt for TeX users.

NimbusMonoN is more compact (advance widths 500em vs. 525em) but a bit lighter (64em stems vs. 69em stems) than Computer Modern Typewriter. IMO, both are good for rendering lines of code in TeX.

Note that the `courier` package brings up the old URW courier clone (unless you have the Adobe version of the PS35 and have chosen to prefer them to URW), which is essentially the same for basic Latin glyphs as `zco` and so it renders in this case the same as `Light`.

The package `nimbusmono` has a `scaled` (or, equivalently, `scale`) option. It has four other options that may be used to select the weights that \LaTeX will render as `medium` and `bold`. These are:

- `light`— \LaTeX medium renders with `zco-Light`;
- `regular`— \LaTeX medium renders with `zco-Regular`;
- `semibold`— \LaTeX bold renders with `zco-Regular`;
- `bold`— \LaTeX bold renders with `zco-Bold`.

Unless specified otherwise, `nimbusmono` sets the options `regular`, `bold`.

The package `nimbusmononarrow` has a `scaled` (or, equivalently, `scale`) option, but no others, and offers only one weight and style—`regular` upright. It is illustrated above. As for advance widths, `zcomono` is `600em`, `zcommonon` is `500em` and `cmtt10` is `525em`.

Some Font tables

zco-Regular-t1 GLYPH TABLE:

	‘o	‘ı	‘2	‘3	‘4	‘5	‘6	‘7	
‘0ox	‘o	‘ı	‘2	‘3	‘4	‘5	‘6	‘7	“0x
‘0ix	‘v	‘-	‘-	‘.	‘,	‘,	‘<	‘>	“1x
‘02x	‘w	“”	“”	“”	“”	“”	“”	“”	“2x
‘03x	‘24	‘1	‘25	‘26	‘ff	‘27	‘fl	‘29	‘fl
‘04x	‘u	‘!	‘33	‘”	‘#	‘35	‘\$	‘36	‘%
‘05x	‘(‘)	‘41	‘*	‘+	‘43	‘,	‘44	‘-
‘06x	‘0	‘48	‘1	‘49	‘2	‘50	‘3	‘51	‘4
‘07x	‘8	‘56	‘9	‘57	‘:	‘58	‘;	‘59	‘<
‘10x	‘@	‘64	‘A	‘65	‘B	‘66	‘C	‘67	‘D
‘11x	‘H	‘72	‘I	‘73	‘J	‘74	‘K	‘75	‘L
‘12x	‘P	‘80	‘Q	‘81	‘R	‘82	‘S	‘83	‘T
‘13x	‘X	‘88	‘Y	‘89	‘Z	‘90	[‘91	\
‘14x	‘`	‘96	‘a	‘97	‘b	‘98	‘c	‘99	‘d
‘15x	‘h	‘104	‘i	‘105	‘j	‘106	‘k	‘107	‘l
‘16x	‘p	‘112	‘q	‘113	‘r	‘114	‘s	‘115	‘t
‘17x	‘x	‘120	‘y	‘121	‘z	‘122	{	‘123	
‘20x	‘Ă	‘128	‘Ă	‘129	‘Ć	‘130	‘Ć	‘131	‘Đ
‘21x	‘Ĺ	‘136	‘Ĺ	‘137	‘܍	‘138	‘܍	‘139	‘܍
‘22x	‘Ŕ	‘144	‘Ś	‘145	‘Ś	‘146	‘Ś	‘147	‘Ń
‘23x	‘Ŷ	‘152	‘Ź	‘153	‘Ž	‘154	‘Ž	‘155	‘Ĳ
‘24x	‘ă	‘160	‘ä	‘161	‘ć	‘162	‘ć	‘163	‘đ
‘25x	‘í	‘168	‘ł	‘169	‘ł	‘170	‘ń	‘171	‘ň
‘26x	‘ř	‘176	‘š	‘177	‘š	‘178	‘š	‘179	‘ť
‘27x	‘ÿ	‘184	‘ź	‘185	‘ż	‘186	‘ż	‘187	‘ij
‘30x	‘À	‘192	‘Á	‘193	‘Â	‘194	‘Ã	‘195	‘Ä
‘31x	‘È	‘200	‘É	‘201	‘Ê	‘202	‘Ë	‘203	‘Ì
‘32x	‘Ð	‘208	‘Ñ	‘209	‘Ò	‘210	‘Ó	‘211	‘Ô
‘33x	‘Ø	‘216	‘Ù	‘217	‘Ú	‘218	‘Û	‘219	‘Ü
‘34x	‘à	‘224	‘á	‘225	‘â	‘226	‘ã	‘227	‘ä
‘35x	‘è	‘232	‘é	‘233	‘ê	‘234	‘ë	‘235	‘ì
‘36x	‘ð	‘240	‘ñ	‘241	‘ò	‘242	‘ó	‘243	‘ô
‘37x	‘ø	‘248	‘ù	‘249	‘ú	‘250	‘û	‘251	‘ü
	‘8	‘9	‘A	‘B	‘C	‘D	‘E	‘F	

zcoN-Regular-t1 GLYPH TABLE:

	ó	í	é	é	á	é	é	é	
óox	ó 0	í 1	é 2	é 3	á 4	é 5	é 6	é 7	óx
óix	ó 8	í 9	é 10	é 11	á 12	é 13	é 14	é 15	óx
ó2x	ó 16	í 17	é 18	é 19	á 20	é 21	é 22	é 23	óx
ó3x	ó 24	í 25	é 26	ff 27	fi 28	fl 29	fl 30	fl 31	óx
ó4x	ó 32	í 33	é 34	# 35	§ 36	% 37	& 38	' 39	óx
ó5x	(40) 41	* 42	+ 43	, 44	- 45	. 46	/ 47	óx
ó6x	ó 48	í 49	é 50	é 51	á 52	é 53	é 54	é 55	óx
ó7x	ó 56	í 57	:	é 58	í 59	< 60	= 61	> 62	ó 63
íox	í 64	A 65	B 66	C 67	D 68	E 69	F 70	G 71	íx
ílx	H 72	I 73	J 74	K 75	L 76	M 77	N 78	O 79	íx
í2x	P 80	Q 81	R 82	S 83	T 84	U 85	V 86	W 87	íx
í3x	X 88	Y 89	Z 90	[91	\ 92] 93	^ 94	— 95	íx
í4x	í 96	a 97	b 98	c 99	d 100	e 101	f 102	g 103	íx
í5x	h 104	i 105	j 106	k 107	l 108	m 109	n 110	o 111	íx
í6x	p 112	q 113	r 114	s 115	t 116	u 117	v 118	w 119	íx
í7x	x 120	y 121	z 122	{ 123	124	} 125	~ 126	— 127	íx
í2ox	Ă 128	Ӑ 129	Ć 130	Ҫ 131	Đ 132	Ӗ 133	Ӗ 134	Ӯ 135	íx
í2lx	Ĺ 136	Ӆ 137	Ӯ 138	ӻ 139	Ӯ 140	Ӯ 141	Ӯ 142	Ӯ 143	íx
í22x	Ŕ 144	Ś 145	Ŗ 146	Ŗ 147	Ŗ 148	Ŗ 149	Ŗ 150	Ŗ 151	íx
í23x	Ŷ 152	Ź 153	Ŗ 154	Ŗ 155	Ŗ 156	Ŗ 157	Ŗ 158	Ŗ 159	íx
í24x	ă 160	ä 161	ć 162	ć 163	đ 164	ě 165	ę 166	ğ 167	íx
í25x	í 168	í 169	ł 170	ń 171	ń 172	ń 173	ő 174	ŕ 175	íx
í26x	ř 176	ś 177	Ŗ 178	Ŗ 179	Ŗ 180	Ŗ 181	Ŗ 182	Ŗ 183	íx
í27x	ÿ 184	ź 185	Ŗ 186	Ŗ 187	Ŗ 188	Ŗ 189	Ŗ 190	Ŗ 191	íx
í3ox	À 192	Á 193	Â 194	Ã 195	Ä 196	Å 197	Æ 198	Ҫ 199	íx
í3lx	È 200	É 201	Ê 202	Ë 203	Ì 204	Í 205	Î 206	Ï 207	íx
í32x	Đ 208	Ñ 209	ò 210	ó 211	ô 212	õ 213	ö 214	ë 215	íx
í33x	ø 216	Ù 217	Ú 218	Û 219	Ü 220	Ý 221	þ 222	— 223	íx
í34x	à 224	á 225	â 226	ã 227	ä 228	å 229	æ 230	ç 231	íx
í35x	è 232	é 233	ê 234	ë 235	ì 236	í 237	î 238	ï 239	íx
í36x	ð 240	ñ 241	ò 242	ó 243	ô 244	õ 245	ö 246	œ 247	íx
í37x	ø 248	ù 249	ú 250	û 251	ü 252	ý 253	þ 254	ß 255	íx
	ó 8	í 9	”A	”B	”C	”D	”E	”F	

zcoN-Regular-ot1 GLYPH TABLE:

	‘o	‘ı	‘2	‘3	‘4	‘5	‘6	‘7	
‘oox	Γ _o	Δ ₁	Θ ₂	Λ ₃	Ξ ₄	Π ₅	Σ ₆	Υ ₇	“0x
‘oix	Φ ₈	Ψ ₉	Ω ₁₀	↑ ₁₁	↓ ₁₂	‘ ₁₃	ı ₁₄	ξ ₁₅	“1x
‘o2x	ı ₁₆	ј ₁₇	‘ ₁₈	‘ ₁₉	‘ ₂₀	‘ ₂₁	‘ ₂₂	‘ ₂₃	“2x
‘o3x	s ₂₄	ß ₂₅	æ ₂₆	œ ₂₇	ø ₂₈	æ ₂₉	œ ₃₀	ø ₃₁	“3x
‘o4x	„ ₃₂	! ₃₃	“ ₃₄	# ₃₅	\$ ₃₆	% ₃₇	& ₃₈	’ ₃₉	“4x
‘o5x	(₄₀) ₄₁	* ₄₂	+ ₄₃	, ₄₄	- ₄₅	. ₄₆	/ ₄₇	“5x
‘o6x	0 ₄₈	1 ₄₉	2 ₅₀	3 ₅₁	4 ₅₂	5 ₅₃	6 ₅₄	7 ₅₅	“6x
‘o7x	8 ₅₆	9 ₅₇	: ₅₈	; ₅₉	ı ₆₀	= ₆₁	ξ ₆₂	? ₆₃	“7x
‘1ox	@ ₆₄	À ₆₅	Ɓ ₆₆	Ҫ ₆₇	Ɖ ₆₈	Ӗ ₆₉	Ӯ ₇₀	Ԍ ₇₁	
‘1ix	Ҥ ₇₂	Ӥ ₇₃	ڶ ₇₄	Ӯ ₇₅	Ӆ ₇₆	Ӎ ₇₇	Ӱ ₇₈	Ӯ ₇₉	
‘12x	Ԁ ₈₀	Ԇ ₈₁	Ԉ ₈₂	Ԉ ₈₃	Ԉ ₈₄	Ԉ ₈₅	Ԉ ₈₆	Ԉ ₈₇	
‘13x	Ӯ ₈₈	Ӯ ₈₉	Ӯ ₉₀	[₉₁	“ ₉₂] ₉₃	^ ₉₄	. ₉₅	
‘14x	‘ ₉₆	ӓ ₉₇	ӝ ₉₈	ҹ ₉₉	ӫ ₁₀₀	ӫ ₁₀₁	ӫ ₁₀₂	ӫ ₁₀₃	
‘15x	һ ₁₀₄	ҝ ₁₀₅	ӂ ₁₀₆	ҝ ₁₀₇	ԓ ₁₀₈	ԓ ₁₀₉	ԓ ₁₁₀	ԓ ₁₁₁	
‘16x	Ԁ ₁₁₂	Ԇ ₁₁₃	Ԉ ₁₁₄	Ԉ ₁₁₅	Ԉ ₁₁₆	Ԉ ₁₁₇	Ԉ ₁₁₈	Ԉ ₁₁₉	
‘17x	Ӯ ₁₂₀	Ӯ ₁₂₁	Ӯ ₁₂₂	- ₁₂₃	- ₁₂₄	“ ₁₂₅	~ ₁₂₆	.. ₁₂₇	
	“8	“9	“A	“B	“C	“D	“E	“F	

Mimics cmtt layout very closely.

ztm-Reg-ot2 GLYPH TABLE:

	ó	í	’2	’3	’4	’5	’6	’7	
’oox	Ҥ ۰	ڶ ۱	Ӯ ۲	Ӭ ۳	Ӥ ۴	Ӗ ۵	Ӯ ۶	Ӯ ۷	”0x
’oix	Ҥ ۸	ڶ ۹	Ӯ ۱۰	Ӭ ۱۱	Ӯ ۱۲	Ӗ ۱۳	Ӯ ۱۴	Ӯ ۱۵	
’o2x	Ӥ ۱۶	ڶ ۱۷	Ӯ ۱۸	Ӭ ۱۹	Ӯ ۲۰	Ӫ ۲۱	Ӯ ۲۲	Ӯ ۲۳	”1x
’o3x	ѿ ۲۴	ڶ ۲۵	Ӯ ۲۶	Ӭ ۲۷	Ӯ ۲۸	Ӫ ۲۹	Ӯ ۳۰	Ӯ ۳۱	
’o4x	“ ۳۲	! ۳۳	” ۳۴	Ӯ ۳۵	“ ۳۶	% ۳۷	‘ ۳۸	’ ۳۹	”2x
’o5x	(۴۰) ۴۱	* ۴۲	Ӯ ۴۳	, ۴۴	- ۴۵	. ۴۶	/ ۴۷	
’o6x	Ӯ ۴۸	ڶ ۴۹	Ӯ ۵۰	Ӯ ۵۱	Ӯ ۵۲	Ӯ ۵۳	Ӯ ۵۴	Ӯ ۵۵	”3x
’o7x	Ӯ ۵۶	Ӯ ۵۷	: ۵۸	; ۵۹	« ۶۰	ڶ ۶۱	» ۶۲	? ۶۳	
’iox	՞ ۶۴	Ӑ ۶۵	Ӗ ۶۶	Ӯ ۶۷	Ӆ ۶۸	Ӗ ۶۹	Փ ۷۰	Ӯ ۷۱	”4x
’iix	Ӯ ۷۲	Ӣ ۷۳	ڶ ۷۴	Ӯ ۷۵	Ӆ ۷۶	Ӎ ۷۷	Ӈ ۷۸	Ӯ ۷۹	
’i2x	Ӯ ۸۰	Ҫ ۸۱	Ӯ ۸۲	Ӯ ۸۳	Ӯ ۸۴	Ӯ ۸۵	Ӯ ۸۶	Ӯ ۸۷	”5x
’i3x	Ӯ ۸۸	Ӯ ۸۹	Ӯ ۹۰	[۹۱	“ ۹۲] ۹۳	Ӯ ۹۴	Ӯ ۹۵	
’i4x	‘ ۹۶	Ӯ ۹۷	Ӯ ۹۸	Ӯ ۹۹	Ӆ ۱۰۰	Ӗ ۱۰۱	Փ ۱۰۲	Ӯ ۱۰۳	”6x
’i5x	Ӯ ۱۰۴	Ӣ ۱۰۵	ڶ ۱۰۶	Ӯ ۱۰۷	Ӆ ۱۰۸	Ӎ ۱۰۹	Ӈ ۱۱۰	Ӯ ۱۱۱	
’i6x	Ӯ ۱۱۲	Ҫ ۱۱۳	Ӯ ۱۱۴	Ӯ ۱۱۵	Ӯ ۱۱۶	Ӯ ۱۱۷	Ӯ ۱۱۸	Ӯ ۱۱۹	”7x
’i7x	Ӯ ۱۲۰	Ӯ ۱۲۱	Ӯ ۱۲۲	- ۱۲۳	— ۱۲۴	Ӯ ۱۲۵	Ӯ ۱۲۶	Ӯ ۱۲۷	
	”8	”9	”A	”B	”C	”D	”E	”F	

ztm-Reg-lgr GLYPH TABLE:

	ó	í	’2	’3	’4	’5	’6	’7	
’oox	— 0	1	2	3	4	5	ζ 6	ζ 7	”0x
’oix	1 8	A 1 9	H 1 10	Ω 1 11	A 1 12	ÿ 1 13	α 1 14	ü 1 15	
’o2x	16	17	ſ 18	Q 19	20	Q 21	ζ 22	ꝝ 23	”1x
’o3x	€ 24	% 00 25	θ 26	ꝝ 27	‘ 28	’ 29	‘ 30	— 31	
’o4x	“ 32	! 33	.. 34	.. 35	.. 36	% 37	· 38	’ 39	”2x
’o5x	(40) 41	* 42	+ 43	, 44	- 45	. 46	/ 47	
’o6x	0 48	1 49	2 50	3 51	4 52	5 53	6 54	7 55	”3x
’o7x	8 56	9 57	: 58	· 59	‘ 60	= 61	’ 62	; 63	
’1ox	ˇ 64	A 65	B 66	“ 67	Δ 68	E 69	Φ 70	Γ 71	”4x
’1ix	H 72	I 73	Θ 74	K 75	Λ 76	M 77	N 78	O 79	
’12x	Π 80	X 81	P 82	Σ 83	T 84	Y 85	“ 86	Ω 87	”5x
’13x	Ξ 88	Ψ 89	Z 90	[91	ˇ 92] 93	” 94	” 95	
’14x	‘ 96	α 97	β 98	ζ 99	δ 100	ε 101	φ 102	γ 103	”6x
’15x	η 104	l 105	θ 106	κ 107	λ 108	μ 109	v 110	ο 111	
’16x	π 112	χ 113	ρ 114	ς 115	τ 116	υ 117	ι 118	ω 119	”7x
’17x	ξ 120	ψ 121	ζ 122	« 123	„ 124	» 125	~ 126	— 127	
’2ox	à 128	á 129	à 130	â 131	ã 132	â 133	â 134	â 135	”8x
’21x	á 136	ã 137	á 138	â 139	â 140	â 141	â 142	â 143	
’22x	ă 144	ă 145	ă 146	f 147	ă 148	ă 149	ă 150	ă 151	”9x
’23x	ń 152	ń 153	ń 154	ń 155	ń 156	ń 157	ń 158	ń 159	
’24x	ń 160	ń 161	ń 162	ń 163	ń 164	ń 165	ń 166	ń 167	”Ax
’25x	ń 168	ń 169	ń 170	ń 171	ń 172	ń 173	ń 174	ń 175	
’26x	ѡ 176	ѡ 177	ѡ 178	ѡ 179	ѡ 180	ѡ 181	ѡ 182	ѡ 183	”Bx
’27x	ѡ 184	ѡ 185	ѡ 186	ѡ 187	ѡ 188	ѡ 189	ѡ 190	ѡ 191	
’3ox	ѡ 192	ѡ 193	ѡ 194	F 195	ѡ 196	ѡ 197	ѡ 198	ѡ 199	”Cx
’3ix	ı 200	ı 201	ı 202	ı 203	ı 204	ı 205	ı 206	ı 207	
’32x	ı 208	ı 209	ı 210	ı 211	ı 212	ı 213	ı 214	ı 215	”Dx
’33x	ı 216	ı 217	ı 218	ı 219	ı 220	ı 221	ı 222	ı 223	
’34x	è 224	é 225	è 226	è 227	ò 228	ó 229	ó 230	ó 231	”Ex
’35x	é 232	é 233	é 234	é 235	ó 236	ó 237	ó 238	ó 239	
’36x	í 240	í 241	í 242	í 243	ü 244	ü 245	ü 246	ü 247	”Fx
’37x	ä 248	ŋ 249	ö 250	ö 251	ö 252	ö 253	ö 254	ö 255	
	”8	”9	”A	”B	”C	”D	”E	”F	

Example: χοίρος.

zhv-Reg-lgr GLYPH TABLE:

	ó	í	’2	’3	’4	’5	’6	’7	
’00x	— ₀	1	2	3	4	5	6	7	”0x
’01x	8	9	10	11	A ₁₂	ÿ ₁₃	α ₁₄	ü ₁₅	”1x
’02x	16	17	18	19	20	21	22	23	”2x
’03x	€ ₂₄	%o ₂₅	θ ₂₆	27	‘ ₂₈	’ ₂₉	ˇ ₃₀	ˇ ₃₁	”3x
’04x	32	! ₃₃	” ₃₄	“ ₃₅	36	% ₃₇	· ₃₈	’ ₃₉	”4x
’05x	(₄₀) ₄₁	* ₄₂	+ ₄₃	, ₄₄	- ₄₅	· ₄₆	/ ₄₇	”5x
’06x	0 ₄₈	1 ₄₉	2 ₅₀	3 ₅₁	4 ₅₂	5 ₅₃	6 ₅₄	7 ₅₅	”6x
’07x	8 ₅₆	9 ₅₇	: ₅₈	· ₅₉	60	= ₆₁	62	63	”7x
’10x	64	A ₆₅	B ₆₆	67	Δ ₆₈	E ₆₉	Φ ₇₀	Γ ₇₁	”8x
’11x	H ₇₂	I ₇₃	Θ ₇₄	K ₇₅	Λ ₇₆	M ₇₇	N ₇₈	O ₇₉	”9x
’12x	Π ₈₀	X ₈₁	P ₈₂	Σ ₈₃	T ₈₄	Y ₈₅	86	Ω ₈₇	”Ax
’13x	Ξ ₈₈	Ψ ₈₉	Z ₉₀	[₉₁	92] ₉₃	94	95	”Bx
’14x	96	α ₉₇	β ₉₈	ζ ₉₉	δ ₁₀₀	ε ₁₀₁	φ ₁₀₂	γ ₁₀₃	”Cx
’15x	η ₁₀₄	l ₁₀₅	θ ₁₀₆	K ₁₀₇	λ ₁₀₈	μ ₁₀₉	v ₁₁₀	o ₁₁₁	”Ex
’16x	Π ₁₁₂	X ₁₁₃	p ₁₁₄	ς ₁₁₅	T ₁₁₆	U ₁₁₇	118	ω ₁₁₉	”Fx
’17x	ξ ₁₂₀	ψ ₁₂₁	ζ ₁₂₂	« ₁₂₃	124	» ₁₂₅	126	— ₁₂₇	
’20x	128	129	130	131	132	133	134	135	
’21x	á ₁₃₆	137	138	139	140	141	142	143	
’24x	ń ₁₆₀	161	162	163	164	165	166	167	
’25x	168	169	170	171	172	173	174	175	
’26x	176	177	178	179	180	181	182	183	
’27x	ó ₁₈₄	185	186	187	188	189	190	191	
’32x	í ₂₀₈	209	210	211	ú ₂₁₂	213	214	215	
’33x	216	217	218	í ₂₁₉	220	221	222	ÿ ₂₂₃	
’34x	224	225	226	227	228	229	230	231	
’35x	é ₂₃₂	233	234	235	ó ₂₃₆	237	238	239	
’36x	í ₂₄₀	241	í ₂₄₂	243	ü ₂₄₄	245	ú ₂₄₆	247	
’37x	248	249	250	251	252	253	254	255	
	”8	”9	”A	”B	”C	”D	”E	”F	

ztm-Reg-t2a GLYPH TABLE:

	‘o	‘ı	‘2	‘3	‘4	‘5	‘6	‘7	
‘oox	‘ ₀	‘ ₁	‘ ₂	‘ ₃	‘ ₄	‘ ₅	‘ ₆	‘ ₇	“0x
‘oix	‘ ₈	‘ ₉	‘ ₁₀	‘ ₁₁	‘ ₁₂	I ₁₃	‘ ₁₄	‘ ₁₅	
‘o2x	‘ ₁₆	‘ ₁₇	‘ ₁₈	‘ ₁₉	‘ ₂₀	‘ ₂₁	— ₂₂	— ₂₃	“1x
‘o3x	‘ ₂₄	1 ₂₅	J ₂₆	ff ₂₇	fi ₂₈	fl ₂₉	ffi ₃₀	ffl ₃₁	
‘o4x	‘ ₃₂	! ₃₃	“ ₃₄	# ₃₅	\$ ₃₆	% ₃₇	& ₃₈	’ ₃₉	“2x
‘o5x	(₄₀) ₄₁	* ₄₂	+ ₄₃	, ₄₄	- ₄₅	. ₄₆	/ ₄₇	
‘o6x	0 ₄₈	1 ₄₉	2 ₅₀	3 ₅₁	4 ₅₂	5 ₅₃	6 ₅₄	7 ₅₅	“3x
‘o7x	8 ₅₆	9 ₅₇	: ₅₈	; ₅₉	< ₆₀	= ₆₁	> ₆₂	? ₆₃	
‘iox	@ ₆₄	A ₆₅	B ₆₆	C ₆₇	D ₆₈	E ₆₉	F ₇₀	G ₇₁	“4x
‘iix	H ₇₂	I ₇₃	J ₇₄	K ₇₅	L ₇₆	M ₇₇	N ₇₈	O ₇₉	
‘i2x	P ₈₀	Q ₈₁	R ₈₂	S ₈₃	T ₈₄	U ₈₅	V ₈₆	W ₈₇	“5x
‘i3x	X ₈₈	Y ₈₉	Z ₉₀	[₉₁	\ ₉₂] ₉₃	^ ₉₄	_ ₉₅	
‘i4x	‘ ₉₆	a ₉₇	b ₉₈	c ₉₉	d ₁₀₀	e ₁₀₁	f ₁₀₂	g ₁₀₃	“6x
‘i5x	h ₁₀₄	i ₁₀₅	j ₁₀₆	k ₁₀₇	l ₁₀₈	m ₁₀₉	n ₁₁₀	o ₁₁₁	
‘i6x	p ₁₁₂	q ₁₁₃	r ₁₁₄	s ₁₁₅	t ₁₁₆	u ₁₁₇	v ₁₁₈	w ₁₁₉	“7x
‘i7x	x ₁₂₀	y ₁₂₁	z ₁₂₂	{ ₁₂₃	₁₂₄	} ₁₂₅	~ ₁₂₆	- ₁₂₇	
‘2ox	Г ₁₂₈	F ₁₂₉	Ђ ₁₃₀	Ћ ₁₃₁	Ѡ ₁₃₂	Ж ₁₃₃	Ѡ ₁₃₄	Љ ₁₃₅	“8x
‘2ix	Ї ₁₃₆	K ₁₃₇	— ₁₃₈	Ќ ₁₃₉	— ₁₄₀	Ҥ ₁₄₁	— ₁₄₂	S ₁₄₃	
‘22x	Θ ₁₄₄	Ҫ ₁₄₅	Ӯ ₁₄₆	Ӳ ₁₄₇	Ӵ ₁₄₈	ӱ ₁₄₉	ӵ ₁₅₀	ӷ ₁₅₁	“9x
‘23x	Ҫ ₁₅₂	Ӗ ₁₅₃	Ӫ ₁₅₄	Ҥ ₁₅₅	Ӭ ₁₅₆	Ӎ ₁₅₇	ӎ ₁₅₈	§ ₁₅₉	
‘24x	Г ₁₆₀	F ₁₆₁	ڶ ₁₆₂	Ծ ₁₆₃	Ը ₁₆₄	Ժ ₁₆₅	Ը ₁₆₆	Ը ₁₆₇	“Ax
‘25x	Ї ₁₆₈	K ₁₆₉	— ₁₇₀	Ќ ₁₇₁	— ₁₇₂	Ւ ₁₇₃	— ₁₇₄	S ₁₇₅	
‘26x	Թ ₁₇₆	Ҫ ₁₇₇	Ӯ ₁₇₈	Ӳ ₁₇₉	Ӵ ₁₈₀	ӱ ₁₈₁	ӵ ₁₈₂	ӷ ₁₈₃	“Bx
‘27x	Ҫ ₁₈₄	Ӗ ₁₈₅	Ӫ ₁₈₆	Ҥ ₁₈₇	Ӭ ₁₈₈	Ӎ ₁₈₉	ӎ ₁₉₀	» ₁₉₁	
‘3ox	A ₁₉₂	Բ ₁₉₃	Յ ₁₉₄	Ր ₁₉₅	Դ ₁₉₆	Ե ₁₉₇	Ժ ₁₉₈	Յ ₁₉₉	“Cx
‘3ix	И ₂₀₀	ҩ ₂₀₁	К ₂₀₂	Լ ₂₀₃	Մ ₂₀₄	Հ ₂₀₅	Օ ₂₀₆	Պ ₂₀₇	
‘32x	P ₂₀₈	C ₂₀₉	T ₂₁₀	Ս ₂₁₁	Փ ₂₁₂	Խ ₂₁₃	Ա ₂₁₄	Կ ₂₁₅	“Dx
‘33x	Ш ₂₁₆	Щ ₂₁₇	Ђ ₂₁₈	Յ ₂₁₉	Ծ ₂₂₀	Թ ₂₂₁	Յ ₂₂₂	յ ₂₂₃	
‘34x	а ₂₂₄	б ₂₂₅	в ₂₂₆	Ր ₂₂₇	դ ₂₂₈	ե ₂₂₉	ժ ₂₃₀	զ ₂₃₁	“Ex
‘35x	и ₂₃₂	й ₂₃₃	կ ₂₃₄	լ ₂₃₅	մ ₂₃₆	հ ₂₃₇	օ ₂₃₈	պ ₂₃₉	
‘36x	ր ₂₄₀	ս ₂₄₁	տ ₂₄₂	ս ₂₄₃	Փ ₂₄₄	Խ ₂₄₅	Ա ₂₄₆	Կ ₂₄₇	“Fx
‘37x	ш ₂₄₈	щ ₂₄₉	Ђ ₂₅₀	Յ ₂₅₁	Ծ ₂₅₂	Թ ₂₅₃	Յ ₂₅₄	յ ₂₅₅	
	“8	“9	“A	“B	“C	“D	“E	“F	

Example: который.

Usage

There are two basic pathways that can be followed, one based on `fontspec` (XeLaTeX or LuaLaTeX), the other on traditional LaTeX (`pdflatex` or `latex/dvips`).

Fontspec

With `fontspec`, the setup is fairly simple. Nimbus15 supplies a file named `ztm.fontspec` for Times with content

```
\defaultfontfeatures[ztm]
{
  Extension = .otf ,
  UprightFont = *-Reg,
  BoldFont = *-Med,
  ItalicFont = *-Ita,
  BoldItalicFont = *-MedIta,
  SlantedFont = *-RegObl,
  BoldSlantedFont = *-MedObl,
}
```

This file will be read by `fontspec` whenever `ztm` is loaded as a font, thereby simplifying the information you have to provide. (There are similar files `zco.fontspec` for Courier, `zcoN.fontspec` for Courier Narrow and `zhv.fontspec` for Helvetica.)

EXAMPLE:

```
\usepackage{fontspec}
\defaultfontfeatures{Mapping=tex-text}
\setmainfont{TeX Gyre Termes}% assumes it to be in one of your fonts folders
\newfontfamily{\nim}{ztm} % reads ztm.fontspec
\setsansfont[Scale=MatchLowercase,Mapping=tex-text]{Gill Sans}
\setmonofont{zco}[Scale=MatchLowercase] % reads zco.fontspec
```

so that utf8-encoded text within a `\nim{}` container will be rendered using `ztm` and, by default, all other text will be rendered using TeX Gyre Termes. You will most likely also wish to load the `polyglossia` package to replace `babel`.

LaTeX

The loading order of packages is important here. See the documentation of the `newtx` package for details. Here's an example of using `newtx` text and math, set up to allow the use of Greek, Russian and English as the main language.

```
\usepackage[OT2,LGR,T2A,T1]{fontenc} % spell out all text encodings to be used
\usepackage[utf8]{inputenc} %
\usepackage{substitutefont} % so we can use fonts other than those specified in babel
\usepackage[greek,russian,english]{babel}
\usepackage[largesc]{newtxtext} %
```

```

\usepackage{nimbusmononarrow} % Courier Narrow
\usepackage{nimbusans} % Helvetica
\usepackage[bigdelims,vvarbb]{newtxmath}
\useosf % use oldstyle figures except in math
\substitutefont{LGR}{\rmdefault}{NimbusSerif} % use nimbusserif to render Greek text
\substitutefont{T2A}{\rmdefault}{NimbusSerif} % use nimbusserif to render Russian
\substitutefont{OT2}{\rmdefault}{NimbusSerif} % poor man's version

```

Any utf8-encoded text typed outside of a `\foreignlanguage{}` block will be rendered as T1-encoded `newtxtext`, while that within `\foreignlanguage{greek}` will be rendered as LGR-encoded polytonic Greek, and that within `\foreignlanguage{russian}` will render as T2A-encoded Cyrillic.

The macro `\textgreek` made available by `babel-greek` may be used to avoid unicode. For example, `\textgreek{>agaj\~{h}| t'uqh|?}` renders as $\alpha\gamma\alpha\theta\bar{\eta}\tau\acute{\alpha}\chi\eta;$.

The macro `\LGCscale` can be set if you wish to rescale the `NimbusSerif` text. For example, `\def\LGCscale{1.05}` will scale it up by 5%. This is handled automatically for you by `newtxtext` if you set its scale using the `scaled` option. (In fact, there is another macro that takes priority over `LGCscale`, named `NimbusSerifscale`—it is automatically set if you load the package `nibusserif`, which should not be loaded if you also use `newtxtext`.)

1 The OT2 encoding

Though OT2 is considered obsolete, as an essentially 7-bit encoding, it is quite useful to those who work with a non-Cyrillic keyboard but wish to produce documents containing a limited amount of Cyrillic text, Latin characters being appropriately transliterated to Cyrillic, and with predefined macros available for each Cyrillic character. These are specified in `ot2enc.def` in your `TEX` distribution.

The following table, taken from a document on OT2 by Walter Schmidt that seems not to be publicly available at the moment, shows the transliteration scheme specified by ligatures in the OT2 encoding. In each column of this table, each row shows first a Cyrillic character pair (upper and lower case), then the pair of keys or key sequences required on the input side. In some cases alternatives are also specified.

A	a	A	a		O	o	Ø	ø
Б	б	Б	б		П	п	Р	р
В	в	В	в		Р	р	С	с
Г	г	Г	г		С	с	С	с
Д	д	Д	д	D1	Т	т	Т	т
Ђ	ђ	Dj	dj	D1	Ћ	ћ	Ћ1	ć1
Ѓ	ѓ	\'G	\'g		Ќ	ќ	\'K	\'k
Е	е	E	e		Ү	ү	Ü	ü
Ё	ё	\"E	\"e	E0	Ф	ф	F	f
Є	є	E2	e2		Х	х	Kh	h
Ж	ж	Zh	zh	Z1	Ц	ц	Ts	c
З	з	Z	z	z1	Ч	ч	Ch	q
И	и	I	i		Џ	џ	D2	d2
I	i	\CYRII	\.{\i}	I1	ІІ	ІІ	Sh	x
Ї	ї	\"I	\"i		ІІІ	ІІІ	sh	x
J	j	J	j		Ђ	Ђ	Shch	w
Ӣ	Ӣ	\U{I}	\U{i}	I0	ӢӢ	ӢӢ	shch	w
K	к	K	k		Ҧ	Ҧ	P2	p2
Л	л	L	l		ҧ	ҧ	P1	p1
Љ	љ	Lj	lj	L1	Ҩ	Ҩ	E1	e1
M	м	M	m		ҩ	ҩ	Yu	y
Н	н	N	n		Ҫ	Ҫ	Ya	ya
Ҥ	Ҥ	Nj	nj	N1	ҪҪ	ҪҪ	D3	d3
№		NO		n1	«	»	<	>

To use OT2 transliterated from Latin characters, accented characters and ligatures doesn't require `babel`. For example:

```
\documentclass{article}
\usepackage[OT2,T1]{fontenc} % loads ot2enc.def
\newcommand\cyrtext{\fontencoding{OT2}\selectfont} % declaration
\DeclareTextFontCommand{\textcyr}{\cyrtext} %macro with argument
```

The Russian part of the following sentence is entered as `\textcyr{a e1to --- по-русски}`.

This is text in English, then Russian: а это — по-русски.